



KOMO®
Product certificate
K12833/03



Issued	2021-08-15	Replaces	K12833/02
Valid until	Indefinite	Dated	2008-12-01
Page	1 of 3		

Metal Euroconus connectors

Giacomini Benelux NV

STATEMENT BY KIWA

This product certificate is based on BRL 5602 "Plastics piping systems of PE-RT for Heating installations: radiator connections" dated 25-10-2016, issued according to the Kiwa-Regulation for Certification.

The quality system and the product characteristics of this product are checked periodically. Based on this, **Kiwa declares that** there is legitimate confidence that:

Upon delivery, the product supplied by the certificate holder meets the requirements:

- Of the technical specifications laid down in this product certificate,
- The product requirements laid down both in this product certificate and in the BRL.

Provided the products are accompanied by the KOMO® quality mark in the manner set out in this product certificate.

Ron Scheepers
Kiwa

47320612

*This product certificate is only valid in combination with a KOMO certified plastics piping system
The certificate is listed in the overview on the website of Stichting KOMO: www.komo.nl.
Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.*

Kiwa Nederland B.V.
Sir Winston Churchilllaan 273
Postbus 70
2280 AB RIJSWIJK
The Netherlands
Tel. +31 88 998 44 00
Fax +31 88 998 44 20
NL.Kiwa.info@Kiwa.com
www.kiwa.nl

Certificate holder
Giacomini Benelux NV
Rue Provinciale 273279
B-1301 BIERGES WAVRE
Belgium
Tel. +32 (0)1 042 06 50
Fax +32 (0)1 042 06 99
www.giacomini.be



Assessed is:
• Quality system
• Product
Periodic control

Metal Euroconus connectors

TECHNICAL SPECIFICATION

The products mentioned below belong to this technical approval-with-product certificate.

The following products are covered by this product certificate:

Type Straight adaptor coupling	Design thread end x compression end	Size G3/4" - 16 x 2 mm
Type/model R179EX027 1	Design Transition compression fitting Euroconus	Size 20 x 2 mm – G3/4"



Metal Euroconus connectors

Marking

The minimum required marking on the fittings shall be:

- KOMO (if not possible KOMO only on the smallest packaging);
- the manufacturer's name, trade name or logo;
- nominal outside diameter of the corresponding pipe;
- production code.

Location of the marks: on every fitting.

The realization of the marks is as follows: clear, durable and indelible.

The minimum required marking on the smallest packaging unit of the fittings shall be:

- KOMO (or KOMO® word mark);
- certificate number of the accompanying technical approval-with-product certificate of the piping system, according the marking of the belonging pipe;
- the manufacturer's name, trade name, system name or logo;
- material identification if the fitting body is made of plastics;
- nominal outside diameter and nominal wall thickness of the corresponding pipe in mm.

Location of the marks: on every package.

The realization of the marks is as follows: clear, durable and indelible on every packaging.

APPLICATION AND USE

The products are designed for drinking water installations with a lifetime of 50 years at an operating temperature profile according to class 4 of ISO 10508 and an allowable working pressure of maximum 6 bar.

TIPS FOR THE USER

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If on the basis of the foregoing you decide to proceed to rejection, please contact

- Giacomini Benelux NV

And if necessary,

- Kiwa Nederland B.V.

For the proper storage, transport and processing consult the instructions of the certificate holder.

