

San Maurizio d'Opaglio, 29/11/2023

EU CONFORMITY DECLARATION

[according to Annex IV of 2014/68/UE Directive]

Giacomini S.p.A. company, manufacturer of components for heating, cooling and sanitary distribution systems, located in Italy, San Maurizio d'Opaglio (NO), via per Alzo no. 39, whose design and production processes comply with the requirements of the UNI EN ISO 9001:2015 standard,

under its sole responsibility states that

the products "Safety valves" of the R140 series, corresponding to product codes:

R140CY006	Safety valve ½ FX3/4"FX 4 bar 20%
R140CY009	Safety valve ½ FX3/4"FX 6 bar 20%
R140CY010	Safety valve ½ FX3/4"FX 7 bar 20%
R140CY011	Safety valve ½ FX3/4"FX 8 bar 20%
R140MY003	Safety valve ½ MX 3 bar 20%
R140MY009	Safety valve ½ MX 6 bar 20%
R140Y001	Safety valve ½ FX 1,5 bar 20%
R140Y002	Safety valve ½ FX 2,5 bar 20%
R140Y003	Safety valve ½ FX 3 bar 20%
R140Y005	Safety valve ½ FX 3,5 bar 20%
R140Y006	Safety valve ½ FX 4 bar 20%
R140Y007	Safety valve ½ FX 4,5 bar 20%
R140Y008	Safety valve ½ FX 5 bar 20%
R140Y009	Safety valve ½ FX 6 bar 20%
R140Y010	Safety valve ½ FX 7 bar 20%
R140Y011	Safety valve ½ FX 8 bar 20%
R140Y013	Safety valve ½ FX 10 bar 20%
R140Y020	Safety valve ¾ FX 2 bar 20%
R140Y021	Safety valve ¾ FX 1,5 bar 20%
R140Y022	Safety valve ¾ FX 2,5 bar 20%
R140Y023	Safety valve ¾ FX 3 bar 20%

R140Y025	Safety valve $\frac{3}{4}$ FX 3,5 bar 20%
R140Y026	Safety valve $\frac{3}{4}$ FX 4 bar 20%
R140Y027	Safety valve $\frac{3}{4}$ FX 4,5 bar 20%
R140Y028	Safety valve $\frac{3}{4}$ FX 5 bar 20%
R140Y029	Safety valve $\frac{3}{4}$ FX 6 bar 20%
R140Y031	Safety valve $\frac{3}{4}$ FX 8 bar 20%
R140Y032	Safety valve $\frac{3}{4}$ FX 10 bar 20%
R140Y040	Safety valve 1 FX 2 bar 20%
R140Y042	Safety valve 1 FX 2,5 bar 20%
R140Y043	Safety valve 1 FX 3 bar 20%
R140Y045	Safety valve 1 FX 3,5 bar 20%
R140Y046	Safety valve 1 FX 4 bar 20%
R140Y047	Safety valve 1 FX 4,5 bar 20%
R140Y048	Safety valve 1 FX 5 bar 20%
R140Y049	Safety valve 1 FX 6 bar 20%
R140Y051	Safety valve 1 FX 8 bar 20%
R140Y052	Safety valve 1 FX 10 bar 20%
R140Y062	Safety valve 1 $\frac{1}{4}$ X 2,5 bar 20%
R140Y063	Safety valve 1 $\frac{1}{4}$ X 3 bar 20%
R140Y065	Safety valve 1 $\frac{1}{4}$ X 3,5 bar 20%
R140Y066	Safety valve 1 $\frac{1}{4}$ X 4 bar 20%
R140Y067	Safety valve 1 $\frac{1}{4}$ X 4,5 bar 20%
R140Y068	Safety valve 1 $\frac{1}{4}$ X 5 bar 20%
R140Y069	Safety valve 1 $\frac{1}{4}$ X 6 bar 20%

comply with

2014/68/UE European Directive acknowledged by the Lgs. D. no. 26 dated 15/02/2016 (previously 97/23/CE – PED acknowledged by the Lgs. D. no.93 dated 25.02.2000 and subsequent modifications and additions) and published on the supplement of the Italian Official Gazette no.53 dated 04/03/2016.

Applicable standards

UNI EN ISO 4126-1, EN 12516-3

Giacomini S.p.A. likewise confirms that:

- ❖ The modules used for the compliance evaluation are: B (P) + D;
- ❖ The Notified Body that has performed the control and has released the "Module B, EU Type Examination Certificate- Production type" no. 0425 PED 004769-00 is:
 - ICIM S.p.A., Piazza Don Enrico Mapelli, 75 – 20099 Sesto San Giovanni (MI) – I.N. 0425
- ❖ The Notified Body charged with the attendance of the Quality System of Giacomini S.p.A., that granted no. 0425 PED 004225-02 EU certificate of conformity to type based on quality assurance of the production process is:
 - ICIM S.p.A., Piazza Don Enrico Mapelli, 75 – 20099 Sesto San Giovanni (MI) – I.N. 0425

Signed for and on behalf of Giacomini S.p.A.

Technical Manager

Eng. Marco Rosa Brusin

