

GIACOMINI S.p.A. Tel. (+39) 0322 923111 Fax (+39) 0322 96256

Sede legale ed amministrativa:

Via per Alzo, 39 - 28017 San Maurizio d'Opaglio (NO) ITALIA
R.E.A. della CCIAA di Novara n. 194845
PIVA 01792290031 - Codice Fiscale 01856080062
Identificativo IVA IT 01792290031
Capitale Sociale: € 50.666.520 i.v. info@giacomini.com www.giacomini.com



SUPPLIER DECLARATION (Dich1_05_01_08_EN)

(according to UNI CEI EN ISO/IEC 17050-1:2010)

The manufacturer GIACOMINI S.p.A. located in Italy, San Maurizio d'Opaglio (NO) - Via per Alzo, no. 39, under its own responsibility ATTESTS that:

the ball valves of the series R910X022, R910X023, R910X024, R910X025 destined to be used in the following applications and according to the following use limits:

- Minimum Working Temperature: -20 °C with glycol solution at 50 %,
- Maximum Working Temperature with dry saturated steam: 185 °C with 1,05 MPa (10,5 bar)
- Maximum working pressure at 20°C with water and non-dangerous gases: 42 bar for 3/8", 1/2", 3/4" sizes
- Maximum working pressure at 20°C with water and non-dangerous gases: 35 bar for 1" size
- Temperature Range with liquid hydrocarbons: -20÷60 °C
- Maximum working pressure at 20°C with liquid hydrocarbons: 12 bar

are properly designed and manufactured using materials suitable to the distribution of water, non-dangerous gases and liquid hydrocarbons according to the sound engineering practice in use, which ensures the safety of use in compliance with the technical requirements and the specific prescriptions, pertinent and applicable, referred to art.4, par. 3, of PED 2014/68/UE Directive with particular reference to Tab.7 of Annex II - Conformity assessment tables.

The subject valves are also manufactured respecting design and production processes in compliance with requirements of UNI EN ISO 9001:2015 standard.

Moreover, GIACOMINI S.p.A. company ATTESTS,

that the ball valves here identified, in application of the above-mentioned technical requirements and prescriptions, are also accompanied by sufficient use instructions and are not "CE marked" since they have characteristics lower than the limits given at paragraph 1, letters a), b) and c) and at paragraph 2 of PED 2014/68/UE Directive.

San Maurizio d'Opaglio, 15/05/2023

Marco Rola Brush

The Technical Manager

Eng. Marco Rosa Brusin



GIACOMINI S.p.A.

Tel. (+39) 0322 923111 Fax (+39) 0322 96256 info@glacomini.com www.glacomini.com

Sede legale ed amministrativa: Via per Alzo, 39 - 28017 San Maurizio d'Opaglio (NO) ITALIA R.E.A. della CCIMA di Novara n. 194845 PIVA 01792290031 - Codice Fiscale 01856080062 Identificativo IVA IT 01792290031 Capitale Sociate: 6 50.666.529 i.v.

iento della Alberto Giacomini Holding S a s. di Alberto Giaco



EU CONFORMITY DECLARATION (05_42_00_EN)

(according to 2014/68/UE Directive)

- 1. Pressure equipment. Ball valves of R910 range in dimensions equal to or higher than 1 1/4"
- Manufacturer. GIACOMINI S.p.A. located in Italy, San Maurizio d'Opaglio (NO), Via per Alzo no.39 2.
- 3. This conformity declaration is issued under the sole responsibility of the Manufacturer
- Object of the declaration: Ball valves R910X026, R910X027, R910X028, R910X029, R910X030, R910X031 with the following range and use limits:
- Minimum working temperature: 20°C with 50% glycol solutions;
- Maximum working temperature with dry saturated steam: 185 °C with 1,05 MPa (10,5 bar)
- Maximum working pressure at 20°C with water and non-dangerous gas: 35 bar for 1 1/4", 1 1/2", 2" sizes 28 bar for 2 1/2", 3", 4" sizes
- Temperature range with liquid hydrocarbons: -20÷60 °C
- Maximum working pressure at 20°C with liquid hydrocarbons: 12 bar
- 5. The above described object of the declaration is compliant to the relevant Union harmonisation legislation:
 - Directive 2014/68/UE (PED)

The subject valves are designed and manufactured using materials suitable to the distribution of water, non-dangerous gas and liquid hydrocarbons according to the sound engineering practice in use, which ensures the safety of use in compliance with the technical requirements and the specific prescriptions, pertinent and applicable, contained or referred to in Module A of Annex III of PED 2014/68/UE Directive - Procedures of conformity evaluation - with particular reference to Tab.7 of Annex II - Conformity assessment tables - for valves of dimensions equal to or higher than 1 1/4".

Signed in the name and on behalf of Giacomini S.p.A.

The Technical Manager

Eng. Marco Rosa Brusin

Marco Rosa

San Maurizio D'Opaglio, 15/05/2023



GIACOMINI S.p.A.
Tel. (+39) 0322 923111
Fax (+39) 0322 96256
info@giacomini.com
www.qiacomini.com

Sede legale ed amministrativa: Via per Alzo, 39 - 28017 San Maurizio d'Opaglio (NO) ITALIA R.E. A. della CCIIAA di Novara n. 194845 PIVA 0179229031 - Codice Fiscale 01856080062 Identificativo IVA IT 01792290031 Capitale Sociale: € 50.666.520 i.v.



EU CONFORMITY DECLARATION (Dich1_05_38_01_EN)

(according to 2014/68/UE Directive)

- 1. Pressure equipment. Ball valves with yellow levers, R910 range (product codes R910X009, R910X010, R910X011) in dimensions 2 ½", 3", 4".
- 2. Manufacturer. GIACOMINI S.p.A. located in San Maurizio d'Opaglio (NO), Via per Alzo, no. 39.
- 3. This conformity declaration is issued under the sole responsibility of the Manufacturer.
- 4. Object of the declaration. Ball valves with the following range and use limits:
 - · Fluids: dangerous gases;
 - Temperature range: -20÷60 °C;
 - Maximum operating pressure(MOP) with gas: 0,5 MPa (5 bar).
- 5. The above described object of the declaration is compliant ro the relevant Union harmonization legislation:

2014/68/UE (PED) Directive

The subject valves are designed and manufactured using materials suitable to the distribution of dangerous gases according to the sound engineering practice in use, which ensures the safety of use in compliance with the technical requirements and the specific prescriptions, pertinent and applicable, contained or referred to in Module A of Annex III of PED 2014/68/UE Directive — Procedures of conformity evaluation - with particular reference to Tab.6 of Annex II — Conformity assessment tables — for valves of dimensions equal to or higher than 1 1/4".

Signed in the name and on behalf of Giacomini S.p.A.

The Technical Manager

Eng. Marco Rosa Brusin

San Maurizio D'Opaglio, 20.06.2023