



R553W, R553W-2, R551W, R553SW, R553SW-1



Insulations for bar and modular manifolds

Datasheet
0587EN 07/2026

R553W



FOR R554D + R259D

FOR R269T

Cross-linked polyethylene insulation kit consisting of:

- two insulation shells for R554D intermediate pieces with R259D ball valves or for R269T multifunction valves;
- two insulation shells for end caps.

➤ Versions and product codes

PRODUCT CODE	INSULATION SHELLS...	END CAPS FOR MANIFOLDS...
R553WY002	...for R554D intermediate pieces + R259D ball valves	...1" R553F bar manifold ...1" R53MT+R53VT modular manifolds
R553WY004	...for R554D intermediate pieces + R259D ball valves	...1" R553D bar manifold ...1" R53ST+R53VT modular manifolds
R553WY006	...for R554D intermediate pieces + R259D ball valves	...1-1/4" R553F bar manifold ...1-1/4" R53MT+R53VT modular manifolds
R553WY008	...for R554D intermediate pieces + R259D ball valves	...1-1/4" R553D bar manifold ...1-1/4" R53ST+R53VT modular manifolds
R553WY012	...for R269T multifunction valves	...1" R553F bar manifold ...1" R53MT+R53VT modular manifolds
R553WY014	...for R269T multifunction valves	...1" R553D bar manifold ...1" R53ST+R53VT modular manifolds
R553WY016	...for R269T multifunction valves	...1-1/4" R553F bar manifold ...1-1/4" R53MT+R53VT modular manifolds
R553WY018	...for R269T multifunction valves	...1-1/4" R553D bar manifold ...1-1/4" R53ST+R53VT modular manifolds

R553W-2



Cross-linked polyethylene insulation kit for R553D, R553F, and modular manifolds, consisting of:

- an insulation shell for the supply manifold;
- an insulation shell for the return manifold.

➤ Versions and product codes

PRODUCT CODE	MAX. NUMBER OF OUTLETS	FOR MANIFOLDS...
R553WY001	12	...1" R553F bar manifold
R553WY003	12	...1" R553D bar manifold
R553WY005	12	...1-1/4" R553F bar manifold ...1" and 1-1/4" R53SM, R53ST, R53MM, R53MT, R53VM, R53VT modular manifolds
R553WY007	12	...1-1/4" R553D bar manifold

R551W



Expanded polystyrene insulation shell for R551 manifolds.

➤ Versions and product codes

PRODUCT CODE	MAX. NUMBER OF OUTLETS	FOR MANIFOLDS...
R551WY005	12	...3/4" R551 bar manifold with 50 mm center distance
R551WY009	6	...1" R551 bar manifold with 50 mm center distance
R551WY006	12	...1-1/4" R551 bar manifold with 70 mm center distance
R551WY007	6	...1-1/2" R551 bar manifold with 100 mm center distance
R551WY008	6	...2" R551 bar manifold with 100 mm center distance




GIACOMINI
WATER E-MOTION



Giacomini S.p.A.
Via per Alzo 39, 28017 San Maurizio d'Opaglio (NO) Italia
consulenza.prodotti@giacomini.com
+39 0322 923111 - giacomini.com

R553SW



Cross-linked polyethylene insulation kit for R553DS, R553FS, R553FSDB manifolds with max. 12 outlets, consisting of:

- an insulation shell for the supply manifold;
- an insulation shell for the return manifold.

➤ Versions and product codes

PRODUCT CODE	MAX. NUMBER OF OUTLETS	FOR MANIFOLDS...
R553SWY001	12	...1" R553DS, R553FS, R553FSDB bar manifolds

R553SW-1



R553SWY011



R553SWY012


Pair of cross-linked polyethylene insulation shells for R259DST ball valves and terminal units for R553DS, R553FS, R553FSDB stainless steel manifolds.

➤ Versions and product codes


PRODUCT CODE	FOR...
R553SWY011	...R259DST pair of ball valves
R553SWY012	...pair of end pieces complete with manual air vent valves and drain cocks

➤ Installation examples

R553W + R553W-2 insulations with R553F manifold, R554D intermediate pieces and R259D ball valves



R551W insulation with R551 manifold



⚠ Safety Warning. Installation, commissioning and periodical maintenance of the product must be carried out by qualified operators in compliance with national regulations and/or local standards. A qualified installer must take all required measures, including use of Individual Protection Devices, for his and others' safety. An improper installation may damage people, animals or objects towards which Giacomini S.p.A. may not be held liable.

♻ Package Disposal. Carton boxes: paper recycling. Plastic bags and bubble wrap: plastic recycling.

ℹ Additional information. For more information, go to giacomini.com or contact our technical assistance service. This document provides only general indications. Giacomini S.p.A. may change at any time, without notice and for technical or commercial reasons, the items included herewith. The information included in this technical sheet do not exempt the user from strictly complying with the rules and good practice standards in force.

♻ Product Disposal. Do not dispose of product as municipal waste at the end of its life cycle. Dispose of product at a special recycling platform managed by local authorities or at retailers providing this type of service.